ELSEVIER

Mechanisms of Development 50 (1995) 247–248

MOD

Author index

Volume 50 (1995)

Alamedddine, H., see Cifuentes-Diaz, C. **50**, 85
Auda-Boucher, G., F. Merly, F.-F. Sardahaut, J. Fontaine-Pérus, Neural tube can indice fast myosin heavy chain isoform expression during embryonic development **50**, 43

Bai, G., see Nemer, M. **50**, 131
Baker, C.V.H., C.R. Sharpe, N.P. Torpey, J. Heasman, C.C. Wylie, A *Xenopus* c-*kit*-related receptor tyrosine kinase expressed in migrating stem cells of the lateral line system **50**, 217
Baylies, M.K., see Taylor, M.V. **50**, 29
Beatty, K.E., see Taylor, M.V. **50**, 29
Bernstein, A., see Kao, K.R. **50**, 57
Beumer, T.L., see Veenstra, G.J.C. **50**, 103

Cable, J., I.J. Jackson, K.P. Steel, Mutations at the *W* locus affect survival of neural crest-derived melanocytes in the mouse **50**, 139
Cifuentes-Diaz, C., M. Nicolet, H. Alameddine, D. Goudou, M. Dehaupas, F. Rieger, R.M. Mège, M-cadherin localization in developing adult and regenerating mouse skeletal muscle: possible involvement in secondary myogenesis **50**, 85
Clarke, J.D.W., see Hill, J. **50**, 3

Dehaupas, M., see Cifuentes-Diaz, C. **50**, 85
Desbiens, X., see Dhordain, P. **50**, 17
DeSimone, D.W., see Joos, T.O. **50**, 187
Destrée, O.H.J., see Veenstra, G.J.C. **50**, 103
Dewitte, F., see Dhordain, P. **50**, 17
Dhordain, P., F. Dewitte, X. Desbiens, D. Stehelin, M. Duterque-Coquillaud, Mesodermal expression of the chicken *erg* gene associated with precartilaginous condensation and cartilage differentiation **50**, 17
Duterque-Coquillaud, M., see Dhordain, P. **50**, 17

Erämaa, M., see Ritvos, O. **50**, 229
Etkin, L.D., see Zhang, H. **50**, 119

Fontaine-Pérus, J., see Auda-Boucher, G. **50**, 43

Gardahaut, M.-F., see Auda-Boucher, G. **50**, 43
Gilbert, S.F., see Ritvos, O. **50**, 229
Gnau, V., see Joos, T.O. **50**, 187
Goudou, D., see Cifuentes-Diaz, C. **50**, 85

Hausen, P., see Joos, T.O. **50**, 187
Heasman, J., see Baker, C.V.H. **50**, 217
Hilén, K., see Ritvos, O. **50**, 229
Hill, J., J.D.W. Clarke, N. Vargesson, T. Jowett, N. Holder, Exogenous retinoic acid causes specific alterations in the development of the midbrain and hindbrain of the zebrafish embryo including positional respecification of the Mauthner neuron **50**, 3
Hogan, B.L.M., see Lyons, K.M. **50**, 71
Holder, N., see Hill, J. **50**, 3
Hunter, H.K., see Taylor, M.V. **50**, 29

Jackson, I.J., see Cable, J. **50**, 139
Joos, T.O., C.A. Whittaker, F. Meng, D.W. DeSimone, V. Gnau, P. Hausen, Integrin α_5 during early development of *Xenopus laevis* **50**, 187
Jowett, T., see Hill, J. **50**, 3

Kao, K.R., A. Bernstein, Expression of *Xkl-1*, a Xenopus gene related to mammalian *c-kit*, in dorsal embryonic tissue **50**, 57
Karg, H.A., see Veenstra, G.J.C. **50**, 103
Kloc, M., see Zhang, H. **50**, 119

Li, H., see Mei Hsieh-Li, H. **50**, 177
Lyons, K.M., B.L.M. Hogan, E.J. Robertson, Colocalization of BMP 7 and BMP 2 RNAs suggests that these factors cooperatively mediate tissue interactions during murine development **50**, 71

Mège, R.M., see Cifuentes-Diaz, C. **50**, 85
Mei Hsieh-Li, H., D.P. Witte, J.C. Szucsik, M. Weinstein, H. Li, S.S. Potter, *Gsh-2*, a murine homeobox gene expressed in the developing brain **50**, 177
Meng, F., see Joos, T.O. **50**, 187
Merly, F., see Auda-Boucher, G. **50**, 43
Mohler, J., Spatial regulation of segment polarity gene expression in the anterior terminal region of the Drosphila blastoderm embryo **50**, 151
Muskavitch, M.A.T., see Parks, A.L. **50**, 201

Nemer, M., E.W. Stuebing, G. Bai, H.R. Parker, Spatial regulation of *SpMTA* metallothionein gene expression in sea urchin embryos by a regulatory cassette in intron 1 **50**, 131
Nicolet, M., see Cifuentes-Diaz, C. **50**, 85

Parker, H.R., see Nemer, M. **50**, 131
Parks, A.L., F. Rudolf Turner, M.A.T. Muskavitch, Relationships between complex Delta expression and the specification of retinal cell fates during *Drosophila* eye development **50**, 201
Peterson-Maduro, J., see Veenstra, G.J.C. **50**, 103
Pick, L., see Yu, Y. **50**, 163
Potter, S.S., see Mei Hsieh-Li, H. **50**, 177

Reynaud, S., see Zhang, H. **50**, 119
Rieger, F., see Cifuentes-Diaz, C. **50**, 85
Ritvos, O., T. Tuuri, M. Erämaa, K. Sainio, K. Hilén, L. Saxén, S.F. Gilbert, Actigvin disrupts epithelial branching morphogenesis in developing glandular organs of the mouse **50**, 229
Robertson, E.J., see Lyons, K.M. **50**, 71
Rudolf Turner, F., see Parks, A.L. **50**, 201

0925-4773/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Sainio, K., see Ritvos, O. **50**, 229
Saxén, L., see Ritvos, O. **50**, 229
Sharpe, C.R., see Baker, C.V.H. **50**, 217
Spohr, G., see Zhang, H. **50**, 119
Steel, K.P., see Cable, J. **50**, 139
Stegeman, B.I., see Veenstra, G.J.C. **50**, 103
Stehelin, D., see Dhordain, P. **50**, 17
Stuebing, E.W., see Nemer, M. **50**, 131
Szucsik, J.C., see Mei Hsieh-Li, H. **50**, 177

Taylor, M.V., K.E. Beatty, H.K. Hunter, M.K. Baylies, Drosophila MEF2 is regulated by *twist* and is expressed in both the primordia and differentiated cells of the embryonic somatic, visceral and heart musculature **50**, 29
Torpey, N.P., see Baker, C.V.H. **50**, 217
Tuuri, T., see Ritvos, O. **50**, 229

van der Vliet, P.C., see Veenstra, G.J.C. **50**, 103
Vargesson, N., see Hill, J. **50**, 3
Veenstra, G.J.C., T.L. Beumer, J. Peterson-Maduro, B.I. Stegeman, H.A. Karg, P.C. van der Vliet, O.H.J. Destrée, Dynamic and differential *Oct-1* expression during early Xenopus embryogenesis: persistence of Oct-1 protein following down-regulation of the RNA **50**, 103

Weinstein, M., see Mei Hsieh-Li, H. **50**, 177
Whittaker, C.A., see Joos, T.O. **50**, 187
Witte, D.P., see Mei Hsieh-Li, H. **50**, 177
Wylie, C.C., see Baker, C.V.H. **50**, 217

Yu, Y., L. Pick, Non-periodic cues generate seven *ftz* stripes in the Drosophila embryo **50**, 163

Zhang, H., S. Reynaud, M. Kloc, L.D. Etkin, G. Spohr, ID gene activity during *Xenopus* embryogenesis **50**, 119

ELSEVIER

Mechanisms of Development 50 (1995) 249–250

Subject index

Volume 50 (1995)

α_5 subunit; *Xenopus*; Integrin; Early embryogenesis; Fibronectin receptor **50**, 187

Activin; Follistatin; TGF-β; Mouse embryogenesis; Epithelial branching morphogenesis **50**, 229

Bone morphogenetic protein; Mouse; Embryogenesis; In situ hybridization **50**, 71

Brain development; Homeobox gene; Target sequence **50**, 177

c-*kit*; *Xenopus*; Receptor tyrosine kinase; Lateral line **50**, 217

c-kit; Melanocytes; Neural crest; Inner ear; *W* locus; TRP-2/DT **50**, 139

Cadherin; Myoblast fusion; Primary myogenesis; Secondary myogenesis; Mouse development; Muscle regeneration **50**, 85

Cartilage; *Erg*; Transcription factor; Embryogenesis; Chicken; Mesenchyme **50**, 17

Cephalic patterning; Drosophila embryogenesis; Segmentation; hh; eg **50**, 151

Chick embryo; Somitic myotome; Neural tube ablation; Somite culture; Myosin heavy chain isoform **50**, 43

Chicken; *Erg*; Transcription factor; Embryogenesis; Mesenchyme; Cartilage **50**, 17

Delta; *Drosophila*; Retina; Neurogenic gene; Signal transduction; Intercellular communication **50**, 201

Drosophila embryogenesis; Segmentation; Cephalic patterning; hh; eg **50**, 151

Drosophila; *Delta*; Retina; Neurogenic gene; Signal transduction; Intercellular communication **50**, 201

Drosophila; MEF2; Myogenesis; Mesoderm differentiation; Muscle gene expression; MADS gene family **50**, 29

Early embryogenesis; *Xenopus*; Integrin; α_5 subunit; Fibronectin receptor **50**, 187

eg; Drosophila embryogenesis; Segmentation; Cephalic patterning; hh **50**, 151

Embryo; *Xenopus*; Id gene; Expression; In situ hybridization; Myogenesis **50**, 119

Embryogenesis; *Erg*; Transcription factor; Chicken; Mesenchyme; Cartilage **50**, 17

Embryogenesis; Bone morphogenetic protein; Mouse; In situ hybridization **50**, 71

Embryogenesis; Oct-1; POU; Homeobox; Xenopus **50**, 103

Embryos; Receptor Tyrosine Kinase; *Xenopus* **50**, 57

Epithelial branching morphogenesis; Activin; Follistatin; TGF-β; Mouse embryogenesis **50**, 229

Erg; Transcription factor; Embryogenesis; Chicken; Mesenchyme; Cartilage **50**, 17

Expression; *Xenopus*; Id gene; In situ hybridization; Myogenesis; Embryo **50**, 119

Fibronectin receptor; *Xenopus*; Integrin; α_5 subunit; Early embryogenesis **50**, 187

Follistatin; Activin; TGF-β; Mouse embryogenesis; Epithelial branching morphogenesis **50**, 229

Fushi tarazu; Segmentation genes; Pair-rule genes **50**, 163

hh; Drosophila embryogenesis; Segmentation; Cephalic patterning; eg **50**, 151

Homeobox; Oct-1; POU; Xenopus; Embryogenesis **50**, 103

Homeobox gene; Brain development; Target sequence **50**, 177

Id gene; *Xenopus*; Expression; In situ hybridization; Myogenesis; Embryo **50**, 119

In situ hybridization; *Xenopus*; Id gene; Expression; Myogenesis; Embryo **50**, 119

In situ hybridization; Bone morphogenetic protein; Mouse; Embryogenesis **50**, 71

Inner ear; Melanocytes; Neural crest; *W* locus; *c-kit*; TRP-2/DT **50**, 139

Integrin; *Xenopus*; α_5 subunit; Early embryogenesis; Fibronectin receptor **50**, 187

BDIntercellular communication; *Delta*; *Drosophila*; Retina; Neurogenic gene; Signal transduction **50**, 201

Lateral line; *Xenopus*; c-*kit*; Receptor tyrosine kinase **50**, 217

MADS gene family; *Drosophila*; MEF2; Myogenesis; Mesoderm differentiation; Muscle gene expression **50**, 29

Mauthner cell; Retinoic acid; Rhombomeres **50**, 3

MEF2; *Drosophila*; Myogenesis; Mesoderm differentiation; Muscle gene expression; MADS gene family **50**, 29

Melanocytes; Neural crest; Inner ear; *W* locus; *c-kit*; TRP-2/DT **50**, 139

Mesenchyme; *Erg*; Transcription factor; Embryogenesis; Chicken; Cartilage **50**, 17

Mesoderm differentiation; *Drosophila*; MEF2; Myogenesis; Muscle gene expression; MADS gene family **50**, 29

Metallothionein; Spatial regulation; Sea urchin embryo **50**, 131

Mouse; Bone morphogenetic protein; Embryogenesis; In situ hybridization **50**, 71

Mouse development; Cadherin; Myoblast fusion; Primary myogenesis; Secondary myogenesis; Muscle regeneration **50**, 85

Mouse embryogenesis; Activin; Follistatin; TGF-β; Epithelial branching morphogenesis **50**, 229

Muscle gene expression; *Drosophila*; MEF2; Myogenesis; Mesoderm differentiation; MADS gene family **50**, 29

Muscle regeneration; Cadherin; Myoblast fusion; Primary myogenesis; Secondary myogenesis; Mouse development **50**, 85

Myoblast fusion; Cadherin; Primary myogenesis; Secondary myogenesis; Mouse development; Muscle regeneration **50**, 85

Myogenesis; *Drosophila*; MEF2; Mesoderm differentiation; Muscle gene expression; MADS gene family **50**, 29

Myogenesis; *Xenopus*; Id gene; Expression; In situ hybridization; Embryo **50**, 119

Myosin heavy chain isoform; Chick embryo; Somitic myotome; Neural tube ablation; Somite culture **50**, 43

Neural crest; Melanocytes; Inner ear; *W* locus; *c-kit*; TRP-2/DT **50**, 139

Neural tube ablation; Chick embryo; Somitic myotome; Somite culture; Myosin heavy chain isoform **50**, 43

Neurogenic gene; *Delta*; *Drosophila*; Retina; Signal transduction; Intercellular communication **50**, 201

Oct-1; POU; Homeobox; Xenopus; Embryogenesis **50**, 103

Pair-rule genes; Segmentation genes; *Fushi tarazu* **50**, 163

POU; Oct-1; Homeobox; Xenopus; Embryogenesis **50**, 103

Primary myogenesis; Cadherin; Myoblast fusion; Secondary myogenesis; Mouse development; Muscle regeneration **50**, 85

Receptor tyrosine kinase; *Xenopus*; c-*kit*; Lateral line **50**, 217

Receptor Tyrosine Kinase; Embryos; *Xenopus* **50**, 57

Retina; *Delta*; *Drosophila*; Neurogenic gene; Signal transduction; Intercellular communication **50**, 201

Retinoic acid; Mauthner cell; Rhombomeres **50**, 3

Rhombomeres; Retinoic acid; Mauthner cell **50**, 3

Sea urchin embryo; Metallothionein; Spatial regulation **50**, 131

Secondary myogenesis; Cadherin; Myoblast fusion; Primary myogenesis; Mouse development; Muscle regeneration **50**, 85

Segmentation; Drosophila embryogenesis; Cephalic patterning; hh; eg **50**, 151

Segmentation genes; Pair-rule genes; *Fushi tarazu* **50**, 163

Signal transduction; *Delta*; *Drosophila*; Retina; Neurogenic gene; Intercellular communication **50**, 201

Somite culture; Chick embryo; Somitic myotome; Neural tube ablation; Myosin heavy chain isoform **50**, 43

Somitic myotome; Chick embryo; Neural tube ablation; Somite culture; Myosin heavy chain isoform **50**, 43

Spatial regulation; Metallothionein; Sea urchin embryo **50**, 131

Target sequence; Homeobox gene; Brain development **50**, 177

TGF-β; Activin; Follistatin; Mouse embryogenesis; Epithelial branching morphogenesis **50**, 229

Transcription factor; *Erg*; Embryogenesis; Chicken; Mesenchyme; Cartilage **50**, 17

TRP-2/DT; Melanocytes; Neural crest; Inner ear; *W* locus; *c-kit* **50**, 139

***W* locus**; Melanocytes; Neural crest; Inner ear; *c-kit*; TRP-2/DT **50**, 139

Xenopus; Oct-1; POU; Homeobox; Embryogenesis **50**, 103

Xenopus; c-*kit*; Receptor tyrosine kinase; Lateral line **50**, 217

Xenopus; Id gene; Expression; In situ hybridization; Myogenesis; Embryo **50**, 119

Xenopus; Integrin; α_5 subunit; Early embryogenesis; Fibronectin receptor **50**, 187

Xenopus; Receptor Tyrosine Kinase; Embryos **50**, 57